

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**




Fig. 3




Fig. 4




FIGURE 5




FIGURE 6




FIGURE 7




Figure 8 Algorithm for Modifying (or Generating) Signal Adjustment Factors Using Extrinsic Measurements




Figure 9 Algorithm for Modifying Secondary Weighting and Temporal Factors without Extrinsic Measurements




Figure 10 Algorithm for Checking
Detector Signal Integrity and
Calculating Analyte Concentration




Figure 11: Raw Currents from All Detectors




Figure 12: Enlarged View of Secondary Signal Temporal Adjustment Region




Figure 13: Secondary Signal Temporal Adjustment




Figure14: Secondary Signal Weighting Factor Adjustments




Figure 15: Weighted and Summed Secondary Detector Signal





Figure 16: Establish Quiescence



**Figure 17: Temporally Adjusted, Weighted and Summed Secondary Signal Converted to PO2
and Raw Primary Signals**




Figure 18: Calculated Analyte Concentrations




Figure 19: Temporally Adjusted, Calculated Analyte Concentrations




Figure 20: Temporally Adjusted, and Weighted and Summed Analyte Signals

